

## VETTERSTONE

# MINNESOTA STONE® DETAIL BOOK

MAILING ADDRESS: P.O. BOX 38 KASOTA, MN 56050 SHIPPING ADDRESS: 23894 THIRD AVE. MANKATO, MN 56001


PHONE: (507) 345-4568 FAX: (507) 345-4777 EMAIL: INFO@VETTERSTONE.COM

WEBSITE: WWW.VETTERSTONE.COM

# **INDEX**

SECTION 1.	ANCHORS
SECTION 2.	CORNER AND JOINT DETAILS
SECTION 3.	WALL FACING: SPLITFACE, CUTSTONE, PANEL SIZES
SECTION 4.	SILL, JAMB, HEADER AND THRESHOLD DETAILS
SECTION 5.	CAP AND COPING DETAILS
SECTION 6.	WATERTABLE AND BANDING DETAILS
SECTION 7.	SOFFIT AND FASCIA DETAILS
SECTION 8.	COLUMN FACING DETAILS
SECTION 9.	PAVER, FLOORING, AND FLAGSTONE DETAILS
SECTION 10.	TREAD, RISER, AND NOSING DETAILS
SECTION 11.	RADIAL STONE DETAILS
SECTION 12.	LANDSCAPE BLOCKS
SECTION 13.	THINSET VENEER DETAILS
SECTION 14.	COLUMNS AND BALUSTERS

#### **ANCHORING INSTRUCTIONS**



#### **GENERAL NOTES**

NOTE A: ANCHORS ARE TO BE SET IN COMPRESSIBLE

NON-BLEEDING MATERIAL. SLOT AT TOP OF STONE MUST

BE FILLED WITH THE SAME MATERIAL OR MORTAR.


NOTE B: MORTAR OR SHIM BETWEEN STEEL AND STONE

SHEET DESCRIPTION: ANCHORS


SCALE:  $6^n = 1'-0^n$ 

SHEET #:

1.1



#### "U" STRAP ANCHOR



STONE VENEER AT BASE OF WALL OR ADJACENT MATERIAL




V E T T E R S T O N E

SHEET DESCRIPTION: **ANCHORS** 

SCALE:  $6^{n} = 1'-0^{n}$ 

SHEET #:



#### STONE VENEER AT INTERMEDIATE WALL CONNECTION




V E T T E R S T O N E

SHEET DESCRIPTION: ANCHORS


SCALE:  $6^{n} = 1'-0^{n}$ 

SHEET #:

1.3



"Z" STRAP ANCHOR



#### STONE VENEER ANCHOR AT ADJACENT MATERIAL




V E T T E R S T O N E


SHEET DESCRIPTION: ANCHORS

SCALE:  $6^{n} = 1'-0^{n}$ 

SHEET #:

1.4






#### "CRAMP" ANCHOR

SEE NOTE "A" ON SHEET I.I

1/2" DIA. x 1" DP. HOLE AND 1/4" DP. CTSK. PROVIDED AT TOP OF STONE —



#### CORNER STONE VENEER CONNECTION



V E T T E R S T O N E


SHEET DESCRIPTION: ANCHORS


SCALE:  $6^{n} = 1'-0^{n}$ 


SHEET #:

1.5A

REV. 10.10.17








#### \*FOR INTERIOR USE ONLY\*

#### "WIRE TIE" ANCHOR



#### THIN STONE VENEER CONNECTION




V E T T E R S T O N E

SHEET DESCRIPTION: ANCHORS

SCALE: 6" = 1'-0"

SHEET #:

1.8




Ÿ

V E T T E R S T O N E


SCALE:  $6^{n} = 1'-0^{n}$ 

1.9



"HAIRPIN" ANCHOR

**SECTION** 



#### **BACK ELEVATION**

#### STONE CLAD PRECAST CONCRETE



VETTERSTONE


SHEET DESCRIPTION:

**ANCHORS** 

SCALE:  $6^n = 1'-0^n & 1^n = 1'-0^n$ 

SHEET #:

#### \* LIFT HOLE ONLY REQUIRED ON STONE PANELS THAT WEIGH OVER 100 POUNDS



#### STONE BACK ELEVATION

#### TYPICAL LIFT HOLE LOCATION

VETTERSTONE




SHEET DESCRIPTION: **ANCHORS** 


SCALE:  $1 \frac{1}{2}$  = 1'-0"

SHEET #:


REV. 04.04.13




#### **EPOXY MITER CORNER**




#### **EPOXY BUTT CORNER**







ANGLED OUTSIDE CORNER




'L' CORNER



### MITER INSIDE CORNER



BUTT JOINT OUTSIDE CORNER



ANGLED OUTSIDE CORNER

SHEET DESCRIPTION: CORNERS

SCALE: 3" = 1'-0"

SHEET #:


2.1

REV. 10.10.17


1'-0"




VETTERSTONE




TYPICAL JOINT




**USED FOR JOINT EMPHASIS** 



MORTARLESS JOINT (VERTICAL JOINT)




HORIZONTAL JOINT




RANDOM ASHLAR PATTERN, IN COLORS OF PINK, BUFF, CREAM, GREY AND BLENDING VARIATIONS WITH HEIGHT RANGES OF: 15% 2 1/6" AND 50% 4 5/6" AND 35% 7 1/2". STANDARD JOINT SIZE 1/2".

#### 3-HEIGHT RANDOM ASHLAR - SAWN BEDS (MINNESOTA VALLEY)




STRAIGHT COURSED OF ALL ONE HEIGHT:  $2\ 1/6$ ",  $3\ 1/2$ ",  $4\ 5/6$ ", AND 7 1/2" PATTERN IN COLORS OF PINK, BUFF, CREAM, GREY AND BLENDING VARIATIONS, WITH COMBINATION OF SPLIT AND SAMED ENDS. STANDARD JOINT SIZE 1/2".

#### SINGLE HEIGHT COURSED ASHLAR - SAWN BEDS (NORTHERN VALLEY)



RANDOM ASHLAR PATTERN, IN COLORS OF PINK, BUFF, CREAM, GREY AND BLENDING VARIATIONS WITH HEIGHT RANGES OF: 40% 2 1/6" AND 60% 4 5/6". STANDARD JOINT SIZE 1/2".

#### <u>2-HEIGHT RANDOM ASHLAR - SAWN BEDS (MINNESOTA RIVER)</u>



RANDOM ASHLAR PATTERN, IN COLORS OF PINK, BUFF, CREAM, GREY, WHITE AND BLENDING VARIATIONS WITH HEIGHT RANGES OF: 20% | 1/2"-3" AND 50% 3"-6" AND 30% 6"-9". STANDARD JOINT SIZE 3/8" TO | 1/2".

#### 3-HEIGHT FLEURI RANDOM ASHLAR - SPLIT BEDS (NORTHERN FOREST)




SHEET DESCRIPTION:
WALL FACING
SPLITFACE VENEER PATTERNS

SCALE: N.T.S


SHEET #:

3.1




SHALL BE LAID IN RANDOM ASHLAR PATTERN AND SHALL BE FURNISHED IN RANDOM LENGTH STRIPS WITH HEIGHT RANGES OF: 20% | 1/2"-3" AND 50% 3"-6" AND 30% 6"-9". STANDARD JOINT SIZE 3/6" TO | 1/2".

#### MINNESOTA QUARRY CREEK RANDOM ASHLAR STONE




COURSED ASHLAR PATTERN, IN COLORS OF PINK, BUFF, CREAM, GREY AND BLENDING VARIATIONS WITH HEIGHT RANGES OF: 15% 2 1/6" AND 33% 4 5/6" AND 52% 7 1/2". STANDARD JOINT SIZE 1/2".

#### 3-HEIGHT COURSED ASHLAR - SAWN BEDS (MINNESOTA PLAINS)



SHALL BE LAID IN RANDOM FIELD STONE PATTERN. MORTAR JOINTS SHALL BE ALLOWED TO VARY FROM 1/2" TO 1 1/2". STONE SHALL BE FURNISHED TO THE JOB IN SIZES RANGING UP TO 12 SQUARE FEET. STANDARD JOINT SIZE 3/6" TO 1 1/2".

#### MINNESOTA QUARRY CREEK RANDOM FIELD STONE



RANDOM ASHLAR PATTERN, IN COLORS OF PINK, BUFF, CREAM, GREY AND BLENDING VARIATIONS WITH HEIGHT RANGES OF:  $20\% \ 1/2"-3"$  AND  $50\% \ 3"-6"$  AND  $30\% \ 6"-9"$ . STANDARD JOINT SIZE 3/8" TO 1/2".

#### 3-HEIGHT VEINE RANDOM ASHLAR - SPLIT BEDS (MINNESOTA SPRING)




SHEET DESCRIPTION:
WALL FACING
SPLITFACE VENEER PATTERNS

SCALE: N.T.S


SHEET #:

3.2




RANDOM ASHLAR PATTERN, IN COLORS OF PINK, BUFF, CREAM, GREY AND BLENDING VARIATIONS WITH HEIGHT RANGES OF: 40% 3 1/2" AND 60% 7 1/2", WITH COMBINATION OF SPLIT AND SAMED ENDS. STANDARD JOINT SIZE 1/2".

#### 2-HEIGHT RANDOM ASHLAR - SAWN BEDS (NORTHERN HILLS)




RANDOM ASHLAR PATTERN, IN COLORS OF PINK, BUFF, CREAM, GREY AND BLENDING VARIATIONS WITH HEIGHT RANGES OF: 10% 7/6" AND 35% 2 1/6" AND 35% 3 1/2" AND 20% 4 5/6". STANARD JOINT SIZE 1/2".

#### 4-HEIGHT RANDOM ASHLAR - SAWN BEDS (MINNESOTA RANCH)



RANDOM ASHLAR PATTERN, WITH HEIGHT RANGES OF: 20% I I/2"-3" AND 50% 3"-6" AND 30% 6"-9". STANDARD JOINT SIZE 3/6" TO I I/2".

#### CEDAR CREEK RANDOM ASHLAR



RANDOM ASHLAR SPLIT FACE STONE WITH HEIGHT RANGES OF: 15% 2 1/6" AND 50% 4 5/6" AND 35% 7 1/2". STANDARD JOINT SIZE 1/2".

#### ROCKWOOD VALLEY STONE




VETTERSTONE

SHEET DESCRIPTION:
WALL FACING
SPLITFACE VENEER PATTERNS

SCALE: N.T.S

SHEET #:

3.3



MASONRY ANCHORS SHOULD BE USED AND PLACED IN THE MORTAR JOINTS AND SECURED TO THE BACK-UP MATERIAL. THESE SHOULD BE NON-CORROSIVE ANCHORS AND PLACED ABOUT 16" ON CENTER.

LIMESTONE SPLITFACE NEEDS ONLY TO BE SPLIT TO LENGTH TO FIT INTO AN ATTRACTIVE PATTERN AS PIECES ARE SHIPPED IN RANDOM LENGTHS UP TO APPROXIMATELY 4'-O". SPLITTING TO LENGTH CAN BE DONE WITH A HYDRAULIC GUILLOTINE SPLITTER. OCCASIONALLY SOME PIECES SHOULD BE HAND PITCHED OR TRIMMED FOR A BETTER APPEARANCE USING A CARBIDE TIPPED TOOL.

USE TYPE 'N' MORTAR FOR SETTING IN PROPORTIONS OF I PART MORTAR TO 3 PARTS WASHED SAND. MIX THE MORTAR QUITE STIFF SO MOISTURE DOES NOT RUN DOWN ON THE FACE OF THE SPLITFACE OR JOINTS. JOINTS CAN BE STRUCK SMOOTH OR ROUGH. SMOOTH JOINTS ARE BETTER FOR PREVENTING MOISTURE PENETRATION IN THE JOINTS. IF THE JOINTS ARE RAKED BACK SLIGHTLY FROM THE FACE OF THE SPLITFACE STONE, THE MORTAR WILL BE LESS VISIBLE DUE TO THE SHADOWS.

SEE SHEET 3.5 FOR LAYING INSTRUCTIONS FOR RANDOM ASHLAR PATTERN. SEE SHEET 3.6 FOR LAYING INSTRUCTIONS FOR COURSED PATTERN SPLITFACE.

#### INSTALLATION GUIDELINES FOR SPLITFACE STONE



SHEET DESCRIPTION: WALL FACING

SCALE: 3" = 1'-0"

SHEET #:

3.4

TO ACHIEVE THE MOST NATURAL EFFECT WITH THIS STONE AND TO OBTAIN AN EASY LAYING JOB, THE FOLLOWING POINTS ARE VERY IMPORTANT:

3-HEIGHT FLEURI RANDOM ASHLAR - SPLIT BEDS (NORTHERN FOREST), 3-HEIGHT VEINE RANDOM ASHLAR - SPLIT BEDS (MINNESOTA SPRING), AND QUARRY CREEK HAVE SAMED BACKS ALL OTHERS ARE SPLIT FRONT AND BACK

BE SURE THAT THE SAWED SURFACE IS ALWAYS TO THE BACK. THIS WILL ALWAYS PUT THE NATURAL BED FACE OR SPLITFACE TO THE FACE OF THE WALL.

DO NOT USE THE SAMED SURFACE FOR THE TOP OR BOTTOM BED. THIS STONE SHOULD ALWAYS BE LAID WITH THE SAMED SURFACE TO THE BACK OF THE WALL.

#### LET THE JOINTS VARY FROM 1/2" TO 1-1/2"

THIS NOT ONLY GIVES THE DESIRED NATURAL EFFECT, BUT RESULTS IN EASE OF LAYING.

#### KEEP TRIMMING OF THE STONE TO AN ABSOLUTE MINIMUM

SOMEWHAT ROUGH OR IRREGULAR ENDS ARE NOT ONLY SATISFACTORY BUT DESIRABLE. THE NATURAL FEEL IS BETTER SERVED BY SOME IRREGULARITY OF THE ENDS.

#### KEEP ALL STONES HORIZONTAL AND KEEP ALL MORTAR JOINTS FULL

ALL STONE SHALL BE LAID HORIZONTAL AND NOT SLOPING UP OR DOWN.

CARE SHOULD BE TAKEN TO BE SURE THAT THE BED JOINTS AND HEAD JOINTS ARE FULL.

#### USE THE STONE WITH PROJECTIONS AND RECESSIONS

THIS STONE VARIES FROM 2-1/2" TO 5-1/2" IN THICKNESS. THE 2-1/2" STONES WILL PROVIDE 1-1/2" RECESSIONS FROM A NORMAL WALL FACE OF 4". THE THICKER STONES OF 5-1/2" WILL PROVIDE 1-1/2" PROJECTIONS. DO NOT TRY TO ACHIEVE A WALL WITH A FLAT FACE.

FOLLOWING THE ABOVE POINTS WILL RESULT IN AN EXCELLENT WALL OF THE DESIRED APPEARANCE, BUT IT WILL BE A RELATIVELY FAST, EASILY LAID WALL.

#### LAYING INSTRUCTIONS FOR RANDOM ASHLAR PATTERN



SHEET DESCRIPTION: WALL FACING

SCALE: 3" = 1'-0"

SHEET #:

3.5

SINGLE HEIGHT COURSED ASHLAR - SAWN BEDS (NORTHERN VALLEY) STONE AND THE STANDARD SPECIFICATIONS FOR LAYING IT HAVE BEEN DESIGNED FOR MAXIMUM WALL PRODUCTION. THE BASIC WORK METHODS HAVE BEEN DESIGNED TO BE SIMILAR TO THOSE USED IN LAYING CONCRETE BLOCK. ALTHOUGH THE USE OF RANDOM LENGTHS REQUIRES SPLITTING TO ADJUST FOR WALL LENGTHS, THE SPLITFACE TEXTURE IS AN OFFSETTING FACTOR.

KEY POINTS TO BE CONSIDERED ARE THE FOLLOWING:

3-HEIGHT FLEURI RANDOM ASHLAR - SPLIT BEDS (NORTHERN FOREST), 3-HEIGHT VEINE RANDOM ASHLAR - SPLIT BEDS (MINNESOTA SPRING) AND QUARRY CREEK HAVE SAWED BACKS ALL OTHERS ARE SPLIT FRONT AND BACK

BE SURE THAT THE SAMED SURFACE IS ALWAYS TO THE BACK. THIS WILL ALWAYS PUT THE NATURAL BED FACE TO THE FACE OF THE WALL.

DO NOT USE THE SAWED SURFACE FOR THE TOP OR BOTTOM BED. THIS STONE IS EASIEST TO LAY BY ALWAYS PUTTING THE SAWED SURFACE TO THE BACK OF THE WALL.

#### SPLIT FACE

THE STONE CAN BE USED WITH SPLIT FACE AS FURNISHED. THE TOP AND BOTTOM BEDS ARE SAWED. SPLIT WITH A STRAIGHT BLADED SPLITTER, THIS STONE HAS STRAIGHT LINES TOP AND BOTTOM FOR EASIEST ALIGNMENT AND JOINT TOOLING.

#### SAWED ENDS

SINGLE HEIGHT COURSED ASHLAR - SAWN BEDS (NORTHERN VALLEY) STONE IS PREPARED WITH 50 TO 70% PRE-SAWED ENDS TO PROVIDE EASY STONE USE.

#### TRIMMING

HAND PITCHING OR ROCK FACING IS ELIMINATED BECAUSE IF A CONVEXITY OR CONCAVITY OCCURS AT THE END OF THE STONE, THIS CAN BE USED FOR WALL TEXTURE.

#### SPLIT ENDS

SPLIT ENDS MAY BE USED IN COMBINATION WITH SAWED ENDS FOR ADJUSTING TO WALL LENGTH. TOOTH TYPE MASONRY SPLITTERS MAY BE USED. INSTEAD OF SPLITTING THE STONE TOP TO BOTTOM WITH A STRAIGHT BLADED SPLITTER (WHICH PRODUCES CONVEX AND CONCAVE ENDS), A TOOTH TYPE SPLITTER SPLITS FRONT TO BACK BETWEEN THE SPLIT FACES TO ACHIEVE A STRAIGHT LINE CUT. THIS TYPE OF END DOES NOT NEED ADDITIONAL DRESSING BEFORE BEING PUT INTO THE WALL. USE OF A TOOTH TYPE SPLITTER IS ALSO FASTER THAN USE OF A SAW. CORNERS ARE PRODUCED EASILY. BY TAKING STONES WHICH ARE A UNIFORM THICKNESS TOP TO BOTTOM, TWO FULL-RETURN CORNER PIECES ARE PROVIDED WITH ONE SPLIT (PRODUCING 16" OF CORNER VERTICAL HEIGHT).

#### SETTING AND JOINT ELIMINATION

THE AVERAGE STONE LENGTH WILL RANGE FROM 2'-9" TO 3'-0" LONG. WITH A STONE WEIGHT OF 29.2 POUNDS PER LINEAL FOOT, THE AVERAGE PIECE WILL WEIGH FROM 78 TO 87 POUNDS. AT 3'-0" LONG, ONE STONE WILL BE EQUIVALENT TO 13-1/2" FACE BRICK 2-1/4" × 8" IN SIZE, ELIMINATING 72% OF THE MORTAR REQUIREMENT. BECAUSE OF THE WEIGHT, WE RECOMMEND A TWO MAN PLACEMENT SYSTEM, WITH A SEPARATE MAN HANDLING TROWEL AND MORTAR. IT SHOULD BE NOTED THAT STONE IS SOLID AND HAS NO MANUFACTURED HOLES TO USE UP MORTAR. THE THICKER CONSISTENCY OF STONE MORTAR HELPS TO INCREASE THE MORTAR SAVING, WHICH IS ESTIMATED AT APPROXIMATELY 72%.

#### <u>CLEANING SAVINGS</u>

BECAUSE A THICKER CONSISTENCY MORTAR IS USED WITH STONE AS COMPARED TO A BRICK WALL, CLEANING CAN BE VIRTUALLY ELIMINATED, FOR AN IMPORTANT SAVING IN CLEANING COST.

ALTHOUGH THE LAST TWO ITEMS PROVIDE SMALL SAVINGS, THE REALLY IMPORTANT SAVING IS THE TIME SPENT ON SPREADING AND TOOLING MORTAR TO YIELD A MUCH FASTER WALL PRODUCTION.

#### LAYING INSTRUCTIONS FOR COURSED PATTERN SPLITFACE




SHEET DESCRIPTION: WALL FACING


SCALE: 3'' = 1'-0''

SHEET #:

3.6



#### RELIEVING ANGLE DETAIL AT CUTSTONE



#### STRAP ANCHOR DETAIL AT CUTSTONE




VETTERSTONE


SHEET DESCRIPTION: WALL FACING

SCALE: 3" = 1'-0"


SHEET #:

3.7





SCALE: 3" = 1'-0"



#### CUTSTONE PANEL AT CLIP ANGLE


VETTERSTONE




SHEET DESCRIPTION: WALL FACING

SCALE: 3" = 1'-0"

SHEET #: 3.10




SCALE: 3" = 1'-0"



V E T T E R S T O N E


WALL FACING


SCALE: 6" = 1'-0"




SILLS, JAMB, HEADERS, AND THRESHOLD DETAILS

SCALE: 3" = 1'-0"







#### JAMB DETAILS





SHEET DESCRIPTION:
SILLS, JAMB, HEADERS,
AND THRESHOLD DETAILS

SCALE: 3" = 1'-0"

SHEET #:

4.3





#### **HEADER DETAILS**





SHEET DESCRIPTION:
SILLS, JAMB, HEADERS,
AND THRESHOLD DETAILS

SCALE: 3'' = 1'-0''

SHEET #:

4.5





#### **DOOR THRESHOLDS**


V E T T E R S T O N E




SHEET DESCRIPTION:
SILLS, JAMB, HEADERS,
AND THRESHOLD DETAILS

SCALE: 3" = 1'-0"


SHEET #: 4.6



#### **DOUBLE SLOPE**



#### SINGLE SLOPE



**FLAT** 

V E T T E R S T O N E




SHEET DESCRIPTION:
CAP AND COPING DETAILS


SCALE: 3'' = 1'-0''

SHEET #:


5.1



PARTIAL OVERHANG



DRIP (PREFERRED)



**FLUSH** 

V E T T E R S T O N E





SHEET DESCRIPTION:
CAP AND COPING DETAILS

SCALE: 3" = 1'-0"

SHEET #:

5.2








SHEET DESCRIPTION: CAP AND COPING DETAILS


SCALE: 3'' = 1'-0''


SHEET #:

5.3 REV. 07.27.12

V E T T E R S T O N E










SHEET DESCRIPTION: CAP AND COPING DETAILS

SCALE: 3" = 1'-0"

5.4 REV. 07.27.12

SHEET #:







SHEET DESCRIPTION:
WATERTABLE AND BANDING

SCALE: 3" = 1'-0"

SHEET #:

6.1









SHEET DESCRIPTION:
WATERTABLE AND BANDING

SCALE: 3'' = 1'-0''

SHEET #:

6.2






Y


SHEET DESCRIPTION: WATERTABLE AND BANDING

SCALE: 3'' = 1'-0''

SHEET #:

6.3










SHEET DESCRIPTION:
WATERTABLE AND BANDING


SCALE: 3" = 1'-0"


SHEET #:












VETTERSTONE



SEE NOTE "A" ON SHEET I.I

## **COLUMN FACING OPTIONS**



SHEET DESCRIPTION: COLUMN FACING DETAILS


SCALE: 1 1/2" = 1'-0"

"SPLIT TAIL" ANCHORS

EACH STONE, TYP.

REV. 07.27.12

SHEET #:






VETTERSTONE

SHEET DESCRIPTION:
COLUMN FACING DETAILS

SCALE:  $1/2^n = 1'-0^n$ 

SHEET #:

8.2



# STONE PAVERS ON SLAB

V E T T E R S T O N E




SHEET DESCRIPTION:
PAVERS, FLOORING, AND FLAGSTONE

SCALE: 3" = 1'-0"

SHEET #:

9.1



## STONE PAVERS ON SAND BED




V E T T E R S T O N E

SHEET DESCRIPTION:
PAVERS, FLOORING, AND FLAGSTONE

SCALE: 3" = 1'-0"

SHEET #:

9.2



# STONE PAVERS INSTALLATION: SAND FILL METHOD




VETTERSTONE

SHEET DESCRIPTION:
PAVERS, FLOORING, AND FLAGSTONE

SCALE: 3" = 1'-0"


SHEET #:


9.3




VETTERSTONE

SCALE: 3" = 1'-0"








Y


SHEET DESCRIPTION: STAIR TREAD, RISER, AND NOSING DETAILS

SCALE: 1" = 1'-0" & 1 1/2" = 1'-0"

SHEET #:

10.1








SHEET DESCRIPTION: STAIR TREAD, RISER, AND NOSING DETAILS


SCALE: 1 1/2" = 1'-0"

SHEET #:


10.2



# RADIAL FACE WITH CURVED BACK



# RADIAL FACE WITH FLAT BACK



# FLAT SEGMENTED FACE WITH FLAT BACK


VETTERSTONE




SHEET DESCRIPTION:
RADIAL STONE

SCALE: 3" = 1'-0"


SHEET #:



# RADIAL FACE WITH CURVED BACK



# RADIAL FACE WITH FLAT BACK



## FLAT SEGMENTED FACE WITH FLAT BACK




V E T T E R S T O N E

SHEET DESCRIPTION:
RADIAL STONE

SCALE: 3" = 1'-0"

SHEET #:


11.2



SHEET DESCRIPTION: LANDSCAPE BLOCKS

SCALE:  $1/2^n = 1'-0^n$ 

SHEET #:



COVER SHEATHING WITH (2) LAYERS ASPHALT IMPREGNATED GRADE "D" CONSTRUCTION PAPER OR CODE REQ'D. WEATHER RESISTIVE BARRIER. ATTACH RAIN SCREEN SYSTEM, MASONRY TECHNOLOGY INC. (MTI) OR EQUAL. THEN, IN ACCORDANCE WITH LOCAL BUILDING CODE, INSTALL LATH OR MESH USING GALVANIZED NAILS OR STAPLES 6" ON CENTER VERTICALLY AND 16" ON CENTER HORIZONTALLY, PENETRATING STUDS A MINIMUM OF I". STOP LATH I" FROM FINISHED EDGES.

## EXTERIOR APPLICATION WITH RIGID BACKWALL




VETTERSTONE

SHEET DESCRIPTION: THIN SET VENEERS

SCALE: 3'' = 1'-0''

SHEET #:



<u>CLEAN AND UNTREATED:</u> NO PREPARATION NEEDED. EXAMINE NEWLY POURED CONCRETE CLOSELY TO ENSURE THAT ITS FINISHED SURFACE CONTAINS NO RELEASE AGENTS (FORM OIL). IF IT DOES CONTAIN FORM OIL, ETCH SURFACE WITH MURIATIC ACID, RINSE THOROUGHLY AND/OR SCORE WITH A WIRE BRUSH.

<u>SEALED, DIRTY, PAINTED:</u> SANDBLAST OR WATERBLAST TO ORIGINAL SURFACE (REMOVE SANDBLASTING DUST BY WASHING) OR SECURELY ATTACH LATH WITH CONCRETE NAILS.

## EXTERIOR APPLICATION WITH MASONRY BACKWALL




SHEET DESCRIPTION: THIN SET VENEERS

SCALE: 3" = 1'-0"

SHEET #:

13.2

REV. 02.28.24



### PLYWOOD, PANELING, WALL SHEATHING, WALLBOARD

IN ACCORDANCE WITH LOCAL BUILDING CODE, INSTALL LATH OR MESH USING GALVANIZED NAILS OR STAPLES 6" ON CENTER VERTICALLY AND 16" ON CENTER HORIZONTALLY, PENETRATING STUDS A MINIMUM OF I". STOP LATH I" FROM FINISHED EDGES.

## INTERIOR APPLICATION WITH RIGID BACKWALL



V E T T E R S T O N E


SHEET DESCRIPTION: THIN SET VENEERS

SCALE: 3" = 1'-0"

SHEET #:

13.3

REV. 02.28.24



CONCRETE, MASONRY, STUCCO

CLEAN AND UNTREATED: NO PREPARATION NEEDED. EXAMINE NEWLY POURED CONCRETE CLOSELY TO ENSURE THAT ITS FINISHED SURFACE CONTAINS NO RELEASE AGENTS (FORM OIL). IF IT DOES CONTAIN FORM OIL, ETCH SURFACE WITH MURIATIC ACID, RINSE THOROUGHLY AND/OR SCORE WITH A WIRE BRUSH.

SEALED, DIRTY, PAINTED: SANDBLAST OR WATERBLAST TO ORIGINAL SURFACE (REMOVE SANDBLASTING DUST BY WASHING) OR SECURELY ATTACH LATH WITH CONCRETE NAILS.

## INTERIOR APPLICATION WITH MASONRY BACKWALL




VETTERSTONE


SHEET DESCRIPTION: THIN SET VENEERS

SCALE: 3" = 1'-0"

SHEET #:



# EXTERIOR THIN STONE DETAIL



# INTERIOR THIN STONE DETAIL

## THIN VENEER ON METAL STUD BACKUP




SHEET DESCRIPTION: THIN SET VENEERS

SCALE: FULL

SHEET #:

13.5

REV. 02.28.24





COLUMNS
\*CALL FOR SIZE AND DESIGN LIMITATIONS\*




SHEET DESCRIPTION: **COLUMNS AND BALUSTERS**  SHEET #:

SCALE: 1" = 1'-0"







TYPE "A"

TYPE "B"

TYPE "C"

# \*CALL FOR SIZE AND DESIGN LIMITATIONS\*



VETTERSTONE

SHEET DESCRIPTION:
COLUMNS AND BALUSTERS

SCALE:  $1 \frac{1}{2}$  = 1'-0"

SHEET #:

14.2

REV. 02.28.24